Box Headers
Straight
Colour: Grey
Pitch: 2,54mm
Series: PSL

Part Nr.	Part description
PSL10	Box Header Straight 10-Pole
PSL14	Box Header Straight 14-Pole
PSL16	Box Header Straight 16-Pole
PSL20	Box Header Straight 20-Pole
PSL26	Box Header Straight 26-Pole
PSL34	Box Header Straight 34-Pole
PSL40	Box Header Straight 40-Pole
PSL50	Box Header Straight 50-Pole
PSL60	Box Header Straight 60-Pole

Features
- not suitable for the Reflow soldering process
- RoHS compliant

Technical Specifications
Insulation Shell: .....Polyester, Glass-filled, UL94V-0
.....Grey, RAL 7035
Contact Material: .....Phosphor-Bronze
Contact Surface: .....Selective, Gold-plated Over Nickel
Rated Current: 1A
Test Voltage: .....1000$V_{eff.}$
Temperature Range: .....-65...+150°C

Part Nr.	Nr. of Poles	A [mm]	B [mm]
PSL10	10	32,2	27,9
PSL14	14	37,2	33,0
PSL16	16	39,8	35,6
PSL20	20	44,9	40,6
PSL26	26	52,5	48,3
PSL34	34	62,6	58,4
PSL40	40	70,3	66,0
PSL50	50	83,0	78,7
PSL60	60	94,7	91,4



PSL_
Interlocking Latch not Included in Delivery



Dimensions

Terms of Delivery
Minimum order quantity: 1 PKU = 10 pieces
Delivery contents: latches not included in delivery, please see product group F2379 for latches

Manufacturer: Various

Box Headers
Angled
Colour: Grey
Pitch: 2,54mm
Series: PSL_W

Part Nr.	Part description
PSL10W	Box Header Angled 10-Pole
PSL14W	Box Header Angled 14-Pole
PSL16W	Box Header Angled 16-Pole
PSL20W	Box Header Angled 20-Pole
PSL26W	Box Header Angled 26-Pole
PSL34W	Box Header Angled 34-Pole
PSL40W	Box Header Angled 40-Pole
PSL50W	Box Header Angled 50-Pole

Features
- not suitable for the Reflow soldering process
- RoHS compliant

Technical Specifications
Insulation Shell: .....Polyester, Glass-filled, UL94V-0
.....Grey, RAL 7035
Contact Material:.....Phosphor-Bronze
Contact Surface: .....Selective, Gold-plated Over Nickel
Rated Current:.....1A
Test Voltage: .....1000$V_{eff.}$
Temperature Range: .....-65...+150°C

Part Nr.	Nr. of Poles	A [mm]	B [mm]
PSL10W	10	32,2	21,84
PSL14W	14	37,2	26,92
PSL16W	16	39,8	29,46
PSL20W	20	44,9	34,54
PSL26W	26	52,5	42,16
PSL34W	34	62,6	52,32
PSL40W	40	70,3	59,94
PSL50W	50	83,0	72,64

Terms of Delivery
Minimum order quantity: 1 PKU = 10 pieces
Delivery contents: latches not included in delivery, please see product group F2379 for latches

Manufacturer: Various



PSL_W
Interlocking Latch not Included in Delivery



Dimensions

F2379 = Product group; Product group discount F 23 7_

Locking Latches
For PSL Box Headers
Colour: Grey
Series: PSL_Z

Part Nr.	Part description
PSL-VH	Lock Lever Long
PSL-VN	Lock Lever Short

Features
• Latches
PSL-VH: high locking
PSL-VN: low locking
• Use with pins PSL _ (product groups F2371, F2374) in connection with IDC card edge connectors PFL _ (product group F2535), if a strain relief support (product group F2536) is installed onto the IDC card edge connectors.
• RoHS compliant

Terms of Delivery
Minimum order quantity: 1 PKU = 100 pieces

Manufacturer: Various


PSL_VH


PSL_VN