

The logo for KSS, featuring the letters 'KSS' in white on a blue background, flanked by red and green rectangular blocks.[Home](#)[About KSS](#)[Contact Us](#)[What's New](#)[Our Products](#)[Search](#)

0510 SADDLE TYPE TIE MOUNT



Material: UL approved Nylon 66, 94V-2


To apply with KSS nylon cable ties:

HC-0: CV-075, 094, ... 280, 310

HC-1: CV-075, 094, ... 280, 310

HC-2: All applicable sizes

Saddle design provide maximum stability to wire bundles.
To apply, simply fix mount with a screw and secure wire bundles
with KSS nylon cable ties.



Unit:mm

ITEM No.	H	L	W	T	B	Packing
.						

.	<input type="checkbox"/> HC-0L	5.0	19.0	9.5	5.0	5.2
.	<input type="checkbox"/> HC-0R	6.2	19.1	10	5.4	4.2
.	<input type="checkbox"/> HC-1	7.0	15.0	10	5.1	3.5
.	<input type="checkbox"/> HC-1S	5.8	12.8	7	4.0	3.3
.	<input type="checkbox"/> HC-2S	9.8	23.0	16	9.0	5.0
.	<input type="checkbox"/> HC-2	9.8	23.0	16	9.0	6.3
.	<input type="checkbox"/> HC-2L	9.8	23.0	16	9.0	6.5
.	<input type="checkbox"/> HC-3	17.5	23.0	13.8	9.5	5.3
.	<input type="checkbox"/> HC-4	11.6	30.0	14.7	9.3	5.0
.	<input type="checkbox"/> HC-5	10.0	21.5	16	7.8	5.8x9.7

Input Sample Order

[Check Selected](#) [Return All Selected](#)



[Home](#)

[About KSS](#)

[Contact Us](#)

[What's New](#)

[Our Products](#)

[Search](#)

KAI SUH SUH ENTERPRISE CO., LTD.